

SINGLE SCISSORS



Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (L x W) (mm)	Max Length (mm)	Max Length Tilt protection (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
960009	JX0-5/50-1C *)	500	800x600 *)	800x600	1000		800	500	180	12	0,98	130
860001-12	JX1-5/90-1C*)	500	1350x800 *)	1350x790	1700	2050	1300	900	180	20	0,98	195
861001-12	JX1-5/90-1C*)	500	1350x1000 *)	1350x790	1700	2050	1500	900	180	20	0,98	200
860002-12	JX1-5/125-1C*)	500	1800x800 *)	1800x790	2150	2500	1300	1250	220	33	0,98	225
860003	JX2-5/160-1C*)	500	2250x800 *)	2250x790	2650	2950	1300	1600	220	33	0,98	370
860004	JX1-10/55-1C #	1000	1000x800 *)	1000x790	1300	1500	1300	550	180	11	0,98	170
860010-12	JX1-10/90-1C*)	1000	1350x800 *)	1350x790	1600	1850	1300	900	180	20	0,98	195
861010-12	JX1-10/90-1C*)	1000	1350x1000 *)	1350x790	1600	1850	1500	900	180	20	0,98	200
862010-12	JX1-10/90-2CB	1000	1350x1200	1350x990	1600	1850	1500	900	220	20	0,98	220
860011-12	JX1-10/125-1C*)	1000	1800x800 *)	1800x790	2050	2300	1300	1250	220	33	0,98	240
860012	JX2-10/125-2C	1000	1800x1200	1800x990	2200	2500	1700	1250	235	30	1,43	370
860013	JX2-10/160-2C	1000	2250x1000	2250x990	2600	2800	1500	1600	235	30	1,43	400
860014	JX2-10/160-2C	1000	2250x1500	2250x1290	2600	2800	2000	1600	300	30	1,43	490
960030	JX2-20/90-2C	2000	1350x800	1350x790	1600	1850	1300	900	230	26	0,98	260
961030	JX2-20/90-2C	2000	1350x1000	1350x790	1600	1850	1500	900	230	26	0,98	270
862030	JX2-20/90-2CB	2000	1350x1200	1350x990	1600	1850	1500	900	230	26	0,98	290
860031	JX2-20/125-2C	2000	1800x800	1800x790	2150	2400	1300	1250	250	30	1,43	335
860032	JX2-20/125-2C	2000	1800x1200	1800x990	2150	2400	1700	1250	250	30	1,43	365
860034	JX2,5-20/125-2C	2000	2000x1200	2000x1090	2250	2600	1700	1250	250	35	1,43	425
860035	JX2,5-20/125-2C	2000	2000x1500	2000x1290	2250	2600	2000	1250	250	35	1,43	480
860036	JX3-20/160-2C	2000	2250x1200	2250x960	2850	3300	1700	1600	300	33	2,86	580
860037	JX3-20/160-2C	2000	2250x1500	2250x1260	2850	3300	2000	1600	300	33	2,86	670
860038	JX2,5-30/90-2C#)	3000	1350x1000	1350x990	1650	1900	1500	900	300	19	2,86	355
860042	JX2,5-30/90-2C	3000	1350x1100	1350x1090	1650	1900	1600	900	300	19	2,86	385
860039	JX3-30/110-2C	3000	1800x1000	1800x960	2350	2700	1500	1100	300	22	2,86	475
860040	JX3-30/130-2C	3000	2000x1200	2000x960	2500	2850	1700	1300	300	27	2,86	530
860041	JX3-30/130-2C	3000	2000x1500	2000x1260	2500	2850	2000	1300	300	27	2,86	610

860044	JX3-30/160-2C	3000	2250x1200	2250x960	2750	3000	1700	1600	300	33	2,86	580
860045	JX3-30/160-2C	3000	2250x1500	2250x1260	2750	3000	2000	1600	300	33	2,86	655
860048	JX3-30/200-2C	3000	3000x1200	2800x960	3200	3400	1700	2000	300	46	2,86	695
860049	JX3-30/200-2C	3000	3000x1500	2800x1260	3200	3400	2000	2000	300	46	2,86	790

***) NOTE !! When increasing the width more than 200 mm from standard size it's necessary to add one cylinder cost 173,- Euro net.**

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

SINGLE SCISSORS

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (L x W) (mm)	Max Length (mm)	Max Length Tilt protection (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860052	JX3-40/90-2C#)	4000	1500x1200	1500x960	1700	1850	1300	900	300	20	2,86	470
860050	JX3-40/130-2C	4000	2000x1200	2000x960	2400	2600	1700	1300	300	27	2,86	530
860051	JX3-40/130-2C	4000	2000x1500	2000x1260	2400	2600	2000	1300	300	27	2,86	605
860054	JX4-40/160-2C	4000	2500x1200	2500x960	3000	3300	1700	1600	400	37	2,86	1020
860055	JX4-40/160-2C	4000	2500x1500	2500x1260	3000	3300	2000	1600	400	37	2,86	1170
860058	JX4-40/200-2C	4000	3000x1200	3000x960	3450	3650	1700	2000	400	33	4,6	1215
860059	JX4-40/200-2C	4000	3000x1500	3000x1260	3450	3650	2000	2000	400	33	4,6	1350
860060	JX4-50/130-2C	5000	2250x1200	2250x960	2750	3000	1700	1300	400	41	2,86	955
860061	JX4-50/130-2C	5000	2250x1500	2250x1260	2750	3000	2000	1300	400	41	2,86	1060
860064	JX4-50/160-2C	5000	2500x1200	2500x960	3000	3300	1700	1600	400	50	2,86	1060
860065	JX4-50/160-2C	5000	2500x1500	2500x1260	3000	3300	2000	1600	400	50	2,86	1150
860068	JX4-50/200-2C	5000	3000x1200	3000x960	3400	3600	1700	2000	400	33	4,6	1210
860069	JX4-50/200-2C	5000	3000x1500	3000x1260	3400	3600	2000	2000	400	33	4,6	1370
860070	JX4-60/130-2C	6000	2250x1200	2250x960	2700	3000	1700	1300	400	41	2,86	955
860071	JX4-60/160-2C	6000	2500x1200	2500x960	2950	3200	1700	1600	400	50	2,86	1035
860080	JX5-80/150-2C	8000	3000x2000	3000x1650	3450	3600	2300	1500	600	32	4,6	2335
860090	JX5-100/150-4C	10000	3000x2000	3000x1650	3450	3600	2300	1500	600	46	4,6	2420

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

SINGLE SCISSORS ECONOMIC

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (L x W) (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860666	JX0-5/80-1C	500	1200x800	1160x600	800	200	19	0,72	150
860699	JX0-10/80-1C	1000	1200x800	1160x600	800	200	19	0,72	160
860698	JX0-20/80-2C	2000	1350x800	1335x600	800	220	25	1,43	210

Note ! The above tables are static and cant be changed in any way. Delivered only in blue color RAL 5019. All tables with over limit switch

HIGH-LIFT TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (L x W) (mm)	Max Length (mm)	Max Length Tilt protection (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860660	JXY0-4/80-1C	400	800x600	700x600	1150		850	800	200	19	0,55	120
860105	JXY2-5/180-1C**	500	1350x1000	1350x850	1700	1900	1200	1800	350	19	1,43	370
860102	JXY2-5/320-2C	500	2250x1000	2250x850	2600	2800	1500	3200	400	40	2,86	550
860110	JXY2-10/180-2C	1000	1350x1000	1350x850	1700	1900	1500	1800	350	22	2,86	370
860114	JXY2-10/200-2C	1000	1500x1000	1500x850	1850	2150	1500	2000	350	22	2,86	400
860115	JXY2-10/250-2C	1000	1800x1000	1800x850	2150	2350	1500	2500	350	32	2,86	475
860118	JXY3-10/320-2C	1000	2250x1000	2250x850	2600	2800	1500	3200	500	49	2,86	770
860180	JXY2-10/330-2C*	1000	1650x1200	1650x1000	1950	2100	1700	3300	530	41	2,86	665
860111	JXY2-15/180-2C	1500	1350x1000	1350x850	1600	1700	1500	1800	400	22	2,86	375
860120	JXY3-20/200-2C	2000	1500x1000	1500x850	1900	2100	1500	2000	500	28	2,86	550
860121	JXY3-20/200-2C	2000	1500x1800	1500x1560	1900	2100	2000	2000	500	28	2,86	690
860123	JXY3-20/320-2C	2000	2250x1000	2250x850	2650	2800	1500	3200	530	41	4,6	790
860190	JXY3-20/380-2C*	2000	2250x1200	2250x1050	2600	2800	1700	3800	800	42	4,6	1075
860124	JXY3-20/380-2C*	2000	2250x1800	2250x1560	2600	2800	2000	3800	800	42	4,6	1200
860145	JXY4,5-20/500-2C	2000	3000x2000	2800x1760	3300	3300	2500	5000	1150	85	4,6	2500
860125	JXY3-20/430-2C	2000	3000x1200	3000x1050	3300	3300	1700	4300	650	44	4,6	1060
860126	JXY3,5-25/320-2C	2500	2500x1200	2500x1060	2800	3000	1800	3200	530	40	4,6	1070
860130	JXY4-30/300-2C	3000	2500x1300	2250x1150	2900	3100	1800	3000	700	34	4,6	1400
860144	JXY4,5-30/400-2C	3000	2500x1500	2250x1260	2900	3100	2000	4000	1100	70	4,6	2000
860140	JXY4-40/300-2C	4000	2500x1500	2250x1350	2900	3100	2000	3000	700	46	4,6	1500
860141	JXY5-40/500-2C	4000	3000x2000	2800x1760	3300	3300	2500	5000	1500	67	2x4,6	3300
860142	JXY5-50/400-2C	5000	3500x2000	3300x1760	3700	3800	2500	4000	900	47	2x4,6	2900
860143	JXY6-80/500-2C	8000	4000x2500	3900x2160	4300	4400	2800	5000	1100	78	2x5,5	4800

860146	JXY7-100/400-2C	10000	4000x2500	3900x2160	4300	4400	2800	4000	1500	115	2x4,6	6000
--------	-----------------	-------	-----------	-----------	------	------	------	------	------	-----	-------	------

Bold text indicates table normally taken from stock

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

Remote power packs on all high-lift tables except M0 004080-D1/2H

TWIN SCISSOR TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860211	JXX1-10/90-2C	1000	2750x1000	2700x790	4500	1500	900	230	18	1,43	395
860213	JXX2-20/90-4C	2000	2750x1000	2700x790	4500	1500	900	240	20	2,86	505
860220	JXX2-20/125-2C	2000	3650x1000	3600x790	5600	1500	1250	260	30	2,86	675
860212	JXX2-20/125-4C	2000	4000x2000	3600x1760	5600	2500	1250	260	30	2,86	1000
860225	JXX2-20/160-4C	2000	4550x1000	4500x850	6000	1500	1600	300	30	2,86	800
860215	JXX2-20/160-4C	2000	4550x1500	4500x1290	6000	2000	1600	300	30	2,86	945
860216	JXX3-20/200-4C	2000	6000x1500	5600x1260	7500	2000	2000	300	45	4,6	1500
860217	JXX3-20/200-4C	2000	6000x2000	5600x1760	7500	2200	2000	300	45	4,6	1700
860218	JXX2-30/90-4C	3000	2750x1000	2700x790	4500	1500	900	240	20	2,86	510
860219	JXX2-30/125-4C	3000	3650x1000	3600x790	4500	1500	1250	260	30	2,86	675
860221	JXX2,5-30/125-4C	3000	4050x1200	4000x1090	6000	1700	1250	260	34	2,86	840
860235	JXX2,5-30/160-4C	3000	4550x1000	4500x850	6000	1500	1600	300	40	2,86	890
860222	JXX3-30/200-4C	3000	6000x1500	5600x1260	7500	2000	2000	300	45	4,6	1500
860223	JXX3-30/200-4C	3000	6000x2000	5600x1760	7500	2200	2000	300	45	2,86	1700

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

Remote power pack on all twin scissor tables

TWIN SCISSOR TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860224	JXX3-40/110-4C	4000	3650x1000	3600x960	5600	1500	1100	300	44	2,86	890
860226	JXX3-40/130-4C	4000	4050x1200	4000x960	6200	1700	1300	340	27	4,6	1.120
860227	JXX3-40/160-4C	4000	4550x1200	4500x960	6800	1700	1600	340	33	4,6	1.220
860228	JXX3-40/160-4C	4000	4550x2000	4500x1760	6800	2500	1600	340	33	4,6	1.570
860229	JXX3-40/200-4C	4000	6000x1500	5600x1260	7500	2000	2000	340	45	4,6	1700
860231	JXX3,5-40/200-4C	4000	6000x2000	5600x1760	7500	2200	2000	340	45	4,6	2.070
860232	JXX3-50/110-4C	5000	3650x1000	3600x960	5600	1500	1100	300	44	2,86	1.000
860233	JXX3-50/130-4C	5000	4050x1200	4000x960	6200	1700	1300	340	27	4,6	1.270
860234	JXX3,5-50/160-4C	5000	4550x1200	4500x960	6500	1700	1600	340	33	4,6	1.520
860236	JXX3,5-50/160-4C	5000	4550x2000	4500x1760	6500	2500	1600	340	33	4,6	2.000
860237	JXX3,5-50/200-4C	5000	6000x1500	5600x1260	6500	2000	2000	340	57	4,6	2.140
860238	JXX4-50/200-4C	5000	6050x2000	6000x1760	7800	2200	2000	400	66	4,6	2.850
860239	JXX3,5-60/110-4C	6000	3650x1200	3600x960	5000	1500	1100	340	22	4,6	1.265
860240	JXX3,5-60/130-4C	6000	4050x1200	4000x960	5500	1700	1300	340	27	4,6	1.380
860241	JXX3,5-60/160-4C	6000	4550x1200	4500x960	6000	1700	1600	340	33	4,6	1.520
860242	JXX3,5-60/160-4C	6000	4550x2000	4500x1760	6000	2500	1600	340	42	4,6	2.000
860243	JXX4-60/200-4C	6000	6050x1500	6000x1260	7800	2000	2000	400	66	4,6	2.510
860244	JXX4-60/200-4C	6000	6050x2000	6000x1760	7800	2200	2000	400	66	4,6	2.850
860245	JXX4-80/130-4C	8000	4550x1200	4500x960	6000	1700	1300	400	41	4,6	1.680
860246	JXX4-80/160-4C	8000	5050x1200	5000x960	6500	1700	1600	400	51	4,6	1.900
860247	JXX4-80/160-4C	8000	5050x2000	5000x1760	6500	2500	1600	400	51	4,6	2.450
860248	JXX4-80/200-4C	8000	6050x1500	6000x1260	7500	2000	2000	400	66	4,6	2.510
860249	JXX4-80/200-4C	8000	6050x2000	6000x1760	7500	2200	2000	400	66	4,6	2.850

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

Remote power pack on all twin scissor tables

LOWBUILD TWIN SCISSOR TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860616	JXXL-012080-4C	1200	2700x850		4000	1100	800	90	17	1,4	450
860617	JXXL-015080-4C	1500	2700x850		3400	1100	800	90	17	1,4	450
860618	JXXL-030080-4C	3000	2800x1100		4200	1400	800	130	28	1,4	650

PALLET PAL

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%
863000	Pallet Pal 360	2040	1108		711	241		
863010	Air Pallet Pal	2040	1108		711	241		

LOWBUILD TABLES, ML,MLU

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
960626	JXL-5/80-2C	500	1350x600	1283x532	2000	800	800	80	19	0,72	185
960627	JXL-5/80-2C	500	1350x800	1283x732	2000	1050	800	80	19	0,72	200
960628	JXL-5/80-2C	500	1350x1050	1283x982	2000	1400	800	80	19	0,72	220
960601	JXL-10/80-2C	1000	1350x600	1283x532	2000	800	800	80	19	0,72	185
960600	JXL-10/80-2C	1000	1350x800	1283x732	2000	1050	800	80	19	0,72	200
960608	JXL-10/80-2C	1000	1350x1050	1283x982	2000	1400	800	80	19	0,72	220
960609	JXL-20/80-2C	2000	1400x800	1334x800	2100	1050	800	100	30	0,72	270
960620	JXL-20/80-2C	2000	1400x1200	1334x1200	2200	1500	800	100	30	0,72	300

T102/5019 Ramp for 960600 and 960627 width 800 mm

T101/5019 Ramp för 960608 and 960628 width 1050 mm

960625	JXU-5/80-2C	500	1350x1050	1283x982			800	80	19	0,72	200
960610	JXU-10/80-2C	1000	1350x1050	1283x982	-	-	800	80	19	0,72	200
960611	JXU-20/80-2C	2000	1400x1200	1334x1200	-	-	800	100	30	0,72	300
960651	JXU-16/80-2C	1600	1730x1618	1333x1608	-	-	800	85	15	1,4	580
960652	JXU-16/80-2C	1600	1730x1718	1333x1708	-	-	800	85	15	1,4	580

LOWBUILD TABLES, ML,MLU STAINLESS STEEL

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length	Max Width	Lift Height	Own Height	Lift time	Motor (kW)	Weight (kg)
--------	-----------------------	------------------	---------------------	---------------	---------------	--------------	----------------	---------------	--------------	---------------	----------------

				(mm)	(mm)	(mm)	(mm)	(s)	S3-20%	
960630	JXL-8/80-2C	800	1350x800	1283x732		800	80	19	0,72	200
960631	JXL-8/80-2C	800	1350x1050	1283x982		800	80	19	0,72	220
960629	JXU-8/80-2C	800	1350x1050	1283x982		800	80	19	0,72	200

Note ! Remote power pack without cover on all lowbuilt tables. Delivered without upper limit switch

Bold text indicates Bold text indicates table normally taken fro

TILTS

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Tilt protection	Max Width (mm)	Tilt angle (degrees)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860091	JT-008045-D1/L	800	1350x800	800x800	1500		1000	45	180	9	0,98	200
860092	JT-006045-D1/K	600	800x1350	800x800	1000		1500	45	180	9	0,98	200
860093	JT-008090-D1/L	800	1350x800	800x800	1500	X	1000	90	180	14	1,43	200
860094	JT-006090-D1/K	600	800x1350	800x800	1000	X	1500	90	180	14	1,43	200

X = Note ! When using the tilt for 90 degrees in combination with liftable, add 242,- Euro/gross for tilt protection in table

X= Tables with 1 week shorter deliverytime compared with our weekly delivery report

MINI LIFTS

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Tilt protection	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW)	Weight (kg)
860005	JML-150	150	700x450				500	220			45
860006	JML-300	300	850x500				595	285			77
860007	JML-350	350	910x500				930	370			81
860008	JML-500	500	850x500				595	285			105

LOADING DOCK TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860315	JX3-20/130-2CK	2000	2000x1500	2000x1260	2300	1950	1300	305	27	2,86	695
860320	JX3-20/130-2CK	2000	2000x2000	2000x1760	2300	2350	1300	305	27	2,86	810
860321	JX3-20/160-2CK	2000	2500x1500	2250x1260	2800	1950	1600	305	33	2,86	795
860322	JX3-20/160-2CK	2000	2500x2000	2250x1760	2800	2350	1600	305	33	2,86	920
860323	JX3-20/160-2CK	2000	2500x2400	2250x2160	2800	2500	1600	305	33	2,86	1050
860324	JX3-20/160-2CK	2000	3000x2000	2500x1760	3000	2350	1600	305	37	2,86	1100
860326	JX3-20/160-2CK	2000	3000x2400	2500x2160	3000	2500	1600	305	37	2,86	1250
860329	JX3-30/130-2CK	3000	2000x1500	2000x1260	2300	1950	1300	305	27	2,86	695
860330	JX3-30/130-2CK	3000	2000x2000	2000x1760	2300	2350	1300	305	27	2,86	800
860331	JX3-30/160-2CK	3000	2500x1500	2250x1260	2800	1950	1600	305	33	2,86	795
860332	JX3-30/160-2CK	3000	2500x2000	2250x1760	2800	2350	1600	305	33	2,86	920
860333	JX3,5-30/160-2CK	3000	2500x2400	2250x2160	2800	2500	1600	305	33	2,86	1170
860334	JX3,5-30/160-2CK	3000	3000x2000	2500x1760	3000	2350	1600	305	37	2,86	1120
860336	JX3,5-30/160-2CK	3000	3000x2400	2500x2160	3000	2500	1600	305	37	2,86	1240

X= Tables with 1 week shorter deliverytime compared

NOTE!!! When M3-tables has to be over crossable, the ownheight increases with 40mm

The loading dock tables are as standard equipped with following:

- Tearplate in platform
- Oil filled minus side of cylinders
- Reinforced platform with more profiles
- Service hatch in platform
- Mechanical bottom stops
- Lifting rings
- Two component paint 120 my

LOADING DOCK TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max Length (mm)	Max Width (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)
860339	JX3,5-40/130-2CK	4000	2000x1500	2000x1260	2300	1950	1300	305	27	2,86	755
860340	JX3,5-40/130-2CK	4000	2000x2000	2000x1760	2300	2350	1300	305	27	2,86	875
860367	JX4-40/160-2CK	4000	2500x1500	2500x1260	3000	1950	1600	450	26	4,6	1175
860342	JX4-40/160-2CK	4000	2500x2000	2500x1760	3000	2350	1600	450	26	4,6	1320
860343	JX4-40/160-2CK	4000	2500x2400	2500x2160	3000	2500	1600	450	26	4,6	1510
860344	JX4-40/160-2CK	4000	3000x2000	2500x1760	3000	2350	1600	450	25	4,6	1440
860346	JX4-40/160-2CK	4000	3000x2400	2500x2160	3000	2500	1600	450	25	4,6	1610
860347	JX4-60/130-2CK	6000	2250x1500	2250x1260	2500	1950	1300	450	26	4,6	1080
860348	JX4-60/130-2CK	6000	2250x2000	2250x1760	2500	2350	1300	450	26	4,6	1250
860349	JX4,5-60/160-2CK	6000	2500x1500	2500x1260	3000	1950	1600	450	32	4,6	1265
860352	JX4,5-60/160-2CK	6000	2500x2000	2500x1760	3000	2350	1600	450	32	4,6	1450
860353	JX4,5-60/160-2CK	6000	2500x2400	2500x2160	3000	2500	1600	450	32	4,6	1620
860350	JX4,5-60/160-2CK	6000	3000x2000	2500x1760	3000	2350	1600	450	32	4,6	1570
860362	JX4,5-60/160-2CK	6000	3000x2400	2500x2160	3000	2500	1600	450	32	4,6	1730
860363	JX5-80/160-2CK	8000	3000x2000	3000x1760	3000	2200	1600	600	31	4,6	2320
860364	JX5-80/160-2CK	8000	3000x2400	3000x2160	3000	2500	1600	600	42	4,6	2500
860365	JX5-100/160-4CK	10000	3000x2000	3000x1760	3000	2200	1600	650	46	4,6	2410
860366	JX5-100/160-4CK	10000	3000x2400	3000x2160	3000	2500	1600	650	46	4,6	2600

NOTE!!! When M3-tables has to be over crossable, the ownheight increases with 40mm

The loading dock tables are as standard equipped with following:

- Tearplate in platform
- Oil filled minus side of cylinders
- Reinforced platform with more profiles
- Service hatch in platform
- Mechanical bottom stops

Valid from 2018-03-01

Lifting rings
Two component paint 120 my

CAR LIFT TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Min-Max Length (mm)	Max width (LxW) X (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)	Oilflow l/min
860400	JX4,5-20/350-2C	2000	5000x2500	5000x2160			3500	450	45	4,6	2020	17,6
860401	JX5-25/400-2C	2500	6000x2500	5700x2150			4000	650	66	4,6	2500	14,0
860402	JX5-25/450-2C	2500	6100x2500	6100x2150			4500	650	84	4,6	2710	14,0
860403	JX6-25/500-2C	2500	7500x2500	7500x2150			5000	750	95	4,6	3950	14,0
860407	JX6-35/350-2C	3500	5000x2500	5000x2150			3500	750	51	2x4,6	4215	32,0
860408	JX6-35/400-2C	3500	6000x2500	5700x2150			4000	750	58	2x4,6	4800	32,0
860404	JXY5-20/500-4C	2000	5000x2500	4500x2150			5000	1200	58	4,6	4000	18,1
860405	JXY6-25/600-4C	2500	5000x2500	4500x2150			6000	1400	83	4,6	5800	18,1
860406	JXY6-20/700-4C	2000	5700x2500	5700x2150			7000	1400	106	4,6	6700	18,1
860409	JXY6-35/500-2C	3500	5000x2500	5000x2150			5000	1400	62	2x4,6	7500	32,0
860410	JXY6,5-35/700-2C	3500	6000x2500	5700x2150			7000	1400	82	2x4,6	8200	32,0

X The "max Width" is only valid when using the standard length of table.

All models includes complete standard steering with one push button box. Note! Inform us of later connecting of gates, doors etc. for offering special electric

Please note that the carlift tables can not be used as traditional lifting tables.

The construction of platform regarding profiles, thickness etc, is designed only for cars. Pilotvalve and servicehatch included.

Tearplate in platform (low zinksilikat with top coating)

Valid from 2018-03-01

GOLF TABLES

Art.no	Description (type)	Capacity (kg)	Platform (L x W)	Frame (mm)	Max (L x W) (mm)	Max Length (L x W) (mm)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kW) S3-20%	Weight (kg)	Price/pc. Net
860612	JXL-10/80-2CG *)	1000	2000x1400	1283x982	-	-	800	80	19	0,72	220	on request
860512	JX1-5/125-2CG	500	2000x1500	1800x990	-	-	1250	220	38	0,98	375	on request
860513	JX2-10/125-2CG	1000	2000x1500	1800x990	-	-	1250	235	30	1,43	450	on request
860615	JXL-18/80-2CG *)	2000	2100x1500	1300x1180	-	-	800	95	30	0,72	300	on request

*) including ramp, remote power pack

Package

Lifting tables that are bigger than a standard pallet will be packed on a special pallet.
This packing will be charged to the customers account.

		Price Net/pce
Standard pallet	1200x800 mm	on request
Pallet size 1	1350x1200 mm	on request
Pallet size 2	2000x1000 mm	on request
Pallet size 3	2500x1200 mm	on request
Pallet size 4	3000x1500 mm	on request
Pallet size 5	4000x2000 mm	on request
Pallet size 6	>4000x2000 mm	on request
Box for remote power pack		on request

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01

Valid from 2018-03-01